

POWER REACTORS OF THE WORLD

A. POWER REACTORS IN OPERATION, 1 JANUARY 1966

Name	Location	Type	Net Output (MWe)	Criticality
<i>Belgium</i>				
BR-3	Mol	Press. H ₂ O, 3.7 + 4.4% U	10.5	Aug 1962
<i>Canada</i>				
NPD	Rolphhton	Press. D ₂ O, nat. U	20	Apr 1962
<i>France</i>				
G-1	Marcoule	Nat. U, graphite, air	3	Jan 1956
G-2 (G-3)	Marcoule	Nat. U, graphite, CO ₂	2 × 40	Jul 1958/ Jun 1959
CHINON -1 (EDF -1)	Chinon	Nat. U, graphite, CO ₂	70	Sep 1962
CHINON -2 (EDF -2)	Chinon	Nat. U, graphite, CO ₂	200	Aug 1964
<i>Germany, Federal Republic of</i>				
KAHL	Grosswelzheim/ Kahl (Main)	Boiling H ₂ O 2.6% U	15	Nov 1960
MZFR	Karlsruhe	Press. D ₂ O nat. U	50	Sep 1965
<i>Italy</i>				
LATINA (SIMEA)	Latina (Foce Verde)	Nat. U, graphite, CO ₂	200	Dec 1962
GARIGLIANO (SENN)	Garigliano (Sessa Aurunca)	Boiling H ₂ O 2% U	150	Jun 1963
ENRICO FERMI	Trino Vercellese	Press. H ₂ O 2.6% U	186*	Jun 1964
<i>Japan</i>				
JPDR	Tokai-Mura	Boiling H ₂ O 2.5% U	11.7	Aug 1963
TOKAI-MURA	Tokai-Mura	Nat. U graphite, CO ₂	158	May 1965

* to be raised to 257 MWe.

Name	Location	Type	Net Output (MWe)	Criticality
<i>Sweden</i>				
R-3/ADAM	Agesta	Press. D ₂ O nat. U	9	Jul 1963
<i>United Kingdom</i>				
CALDER HALL	Calder Hall	Nat. U graphite, CO ₂	4 × 45	May 1956/ Mar 1959
CHAPELCROSS	Chapelcross	Nat. U graphite, CO ₂	4 × 45	Oct 1958/ Dec 1959
DFR	Dounreay	Fast breeder 45.5% U, NaK	15	Nov 1959
BERKELEY	Berkeley	Nat. U graphite, CO ₂	2 × 138	Aug 1961/ Mar 1962
BRADWELL	Bradwell	Nat. U graphite, CO ₂	2 × 150	Aug 1961/ Apr 1962
AGR	Windscale	2.5% U graphite, CO ₂	32	Aug 1962
HUNTERSTON	Hunterston	Nat. U graphite, CO ₂	2 × 160	Sep 1963/ Apr 1964
HINKLEY POINT	Hinkley Point	Nat. U graphite, CO ₂	2 × 250	May 1964/ late 1964
TRAWSFYNYDD	Trawsfynydd	Nat. U graphite, CO ₂	2 × 250	Sep 1964/ Dec 1964
SIZEWELL	Sizewell	Nat. U graphite, CO ₂	2 × 289	Jun 1965/ Dec 1965
DUNGENESS A	Dungeness	Nat. U graphite CO ₂	275	Jun 1965
<i>United States of America</i>				
EBWR	Lemont	Boiling H ₂ O 1.5 + 90% U	4	Dec 1956
SRE	Santa Susana	Graphite-sodium 90% + Th	7.5	Apr 1957
SHIPPINGPORT	Shippingport	Press. H ₂ O nat. + 93% U	100	Dec 1957
DRESDEN	Morris	Boiling H ₂ O 1.5% U	200	Oct 1959
YANKEE	Rowe	Press. H ₂ O 3.4% U	175	Aug 1960

Name	Location	Type	Net Output (MWe)	Criticality
SAXTON	Saxton	Press. H ₂ O 5.7 % U	3	Apr 1962
INDIAN POINT	Indian Point	Press. H ₂ O 93 % U + Th	255	Aug 1962
HNPF	Hallam	Sodium-graphite 3.6 % U	75	Aug 1962
BIG ROCK POINT	Charlevoix	Boiling H ₂ O 3.2 % U	72	Sep 1962
ERR	Elk River	Boiling H ₂ O 93 % U + Th	22	Nov 1962
HUMBOLDT BAY	Humboldt Bay	Boiling H ₂ O 2.6 % U	68.5	Feb 1963
CVTR	Parr	Press. D ₂ O 1.5 + 2.0 % U	17	Mar 1963
PNPF	Piqua	Organic 1.9 % U	11.4	Jun 1963
ENRICO FERMI	Lagoona Beach	Fast breeder 25 % + nat. U	60.9	Aug 1963
EBR-2	Idaho Falls	Fast breeder 49 % + nat. U, Na	16.5	Nov 1963
NPR	Richland	0.9 % U graphite, H ₂ O	776	Dec 1963 ^{a)}
PATHFINDER	Sioux Falls	Nucl. superheat 2.2 + 93 % U	58.5	Mar 1964
BONUS	Punta Higuera	Nucl. superheat nat. + 3 % U	16.5	Apr 1964
<i>Union of Soviet Socialist Republics</i>				
APS	Obninsk	5 %, graphite H ₂ O	5	May 1954
SIBERIAN	Troitsk	Nat. U graphite, H ₂ O	600 (6 × 100)	Sep 1958/ Dec 1962
TES - 3	Obninsk	Press. H ₂ O enr. UO ₂	1.5	1961
ARBUS	Melekess	Organic 36 % UAl ₄ + Al	0.75	Jun 1963
URAL I	Beloyarsk	Nucl. superheat 1.3 % U	94	Sep 1963
WWER I	Novo Voronezh	Press. H ₂ O 1.5 % U	196	Dec 1963

^{a)} Reactor critical, power generation scheduled for 1966.

Name	Location	Type	Net Output (MWe)	Criticality
------	----------	------	---------------------	-------------

VK-50 (Ulyanovsk)	Melekess	Boiling H ₂ O 1.5% U	70	Apr 1965
----------------------	----------	------------------------------------	----	----------

B. POWER REACTORS UNDER CONSTRUCTION, 1 JANUARY 1966

Canada

CANDU-PHW-200	Douglas Point	Press. D ₂ O nat. U	203	1966
CANDU-PHW-500	Pickering Town-ship near Toronto	Press. D ₂ O nat. U	2 × 505	1970/ 1971

Czechoslovakia

HWGCR	Bohunice	Nat. U, D ₂ O CO ₂	150	1968
-------	----------	---	-----	------

France

CHOOZ ^{a)} (SENA)	Chooz	Press. H ₂ O 3.1% U	266	1966
CHINON • 3 (EDF - 3)	Chinon	Nat. U graphite CO ₂	480	1966
EL-4	Brennilis	Enr. U D ₂ O, CO ₂	73	1966
SAINT-LAURANT DES EAUX - 1 (EDF - 4)	Saint Laurant des Eaux	Nat. U graphite CO ₂	480	1967
SAINT LAURANT DES EAUX - 2 ^{b)} des Eaux	Saint Laurant des Eaux	Nat. U graphite CO ₂	480	1969/ 1970

Germany, Federal Republic of

AVR	Jülich	Pebble bed 90% U, Th graphite, He	13.2	1966
KRB	Gundremmingen	Boiling H ₂ O enr. U	237	1966
KWL	Lingen	Boiling H ₂ O fossile superheat, enr. UO ₂	250	1968

a) Electricity production is equally shared between Belgium and France.

b) Reactor currently being mounted in shops.

Name	Location	Type	Net Output (MWe)	Criticality
KWO	Obrigheim	Press. H ₂ O 3 % UO ₂	283	1968
HDR	Grosswelzheim/ Kahl (Main)	Boiling H ₂ O nuclear superheat, enr. UO ₂	25	1968
<i>India</i>				
TARAPUR	Tarapur	Boiling H ₂ O	2 × 190	1968
RAJASTHAN -1	Rana Pratap Sagar	Press. D ₂ O nat. U	200	1969
<i>Netherlands</i>				
DODEWAARD	Dodewaard	BWR ("direct cycle")	47	1968
<i>Spain</i>				
ZORITA I	Zorita de los Canes	Press. H ₂ O	140	1968
<i>Sweden</i>				
R-4/EVA	Marviken	Boiling D ₂ O nat U	200	1968
<i>Switzerland</i>				
LUCENS	Lucens	1 % U, D ₂ O, CO ₂	7.5	1966
<i>United Kingdom</i>				
DUNGENESS A	Dungeness	Nat. U graphite CO ₂	275	1966
OLDBURY	Oldbury	Nat. U graphite CO ₂	2 × 300	1966
SGHWR	Winfirth	1.4 % U, D ₂ O boiling H ₂ O	93	1967
WYLFA	Wylfa	Nat. U graphite, CO ₂	2 × 590	1968/ 69
<i>United States of America</i>				
EGCR	Oak Ridge	2.5 % U graphite, He	21.9	1966
HTGR	Peach Bottom	93 % U + Th graphite He	40	1966
LACBWR	Genoa	3.4 % U boiling H ₂ O	50	1966

<i>Name</i>	<i>Location</i>	<i>Type</i>	<i>Net Output (MWe)</i>	<i>Criticality</i>
SAN ONOFRE	San Clemente	3.6 % U press. H ₂ O	375	1967
CONNECTICUT YANKEE	Haddam Neck	3-4 % U press. H ₂ O	462	1967
OYSTER CREEK	Oyster Creek	Boiling H ₂ O	515	1968
NINE MILE POINT	Oswego, N.Y.	Boiling H ₂ O	500	1968
<i>Union of Soviet Socialist Republics</i>				
WWER-II	Novo-Voronezh	Press. H ₂ O 1.5 % U	365	1966
URAL-II	Beloyarsk	Nucl. superheat 1.3 % U BWR	200	1966
BN-350	Shevchenko (Caspian Sea)	Fast breeder 23 % UO ₂ + Pu, Na	150	