

Occupational Radiation Protection

4. Exposure of Workers in Emergency Exposure Situations

GSG7 Section 4

Presentation contents



Protection of emergency workers

Managing the exposure of emergency workers

Exposure assessment

Medical attention





Introduction

The requirements for protection of workers in emergency situations are set out in GSR Part 3 (BSS) and Part 7 Four groups of workers may be exposed in an emergency situation:

- 1. Emergency workers who have specified duties
- 2. Workers at a facility not involved in response to nuclear or radiological emergency
- 3. Workers asked to leave site
- Workers accidentally exposed as result of accident but where exposure is not related to emergency response
 Duties of different workers in a nuclear or radiological emergency will differ and appropriate protection strategies should be applied to ensure adequate protection of all workers



EMERGENCY PLANNING AND RESPONSIBILITIES



Emergency Planning and Responsibilities

Arrangements for protection of workers in a nuclear or radiological emergency should be part of emergency plan **Emergency plan should include:** Roles and responsibilities Immediate actions to be taken Details of protective equipment and monitoring equipment to be used Dosimetry arrangements Consideration of access control for workers





PROTECTION OF EMERGENCY WORKERS



Protection of Emergency Workers

- Emergency workers, where possible, should be treated in accordance with graded approach - particularly in later stages of emergency
- Protection of emergency workers should include, as a minimum:
 - Training for designated emergency workers
 - Training for workers not designated in advance 'just in time training'
 - Manage, control and record doses received
 - Provision of protective equipment and monitoring equipment
 - Stable iodine thyroid blocking, if relevant
 - Medical follow-up
 - Informed consent obtained



Radiation Protection Principles

JUSTIFICATION

Protective actions to be justified

OPTIMIZATION

 Protection measures to be optimized
 Use of dose reference levels

DOSE LIMITATION

- Emergency workers should be subject to dose limits where possible
- Dose guidance values (above limits) for specific duties eg. life saving



Optimization

Applied at preparedness stage Reference levels established Initial phase of response to nuclear or radiological emergency: Lack of information Need for urgency Little scope to apply optimization Late phase of emergency: Transition from emergency exposure situation to existing exposure situation Protection measures to be optimized



Dose limitation

Emergency workers should be subject to dose limits where possible Dose guidance values for specific duties: □ Life saving Actions to prevent catastrophic conditions Actions to prevent large collective dose Guidance value only exceeded if benefit to others clearly outweigh emergency worker's own health risk Emergency worker must volunteer and provide informed consent



Tasks	Guidance value
Life saving	Both E and Hp(10) < 500 mSv
 Actions to prevent: severe deterministic effects development of catastrophic conditions 	Absorbed dose to tissues <0.5 AD _T values in GSR Pt 7, App II
Actions to avert a large collective dose	Both E and Hp(10) < 100 mSv Absorbed dose to tissues <0.1 AD _T values in GSR Pt 7, App II





MANAGING THE EXPOSURE OF EMERGENCY WORKERS



Managing the exposure of emergency workers

Government is required to establish programme for managing, controlling and recording doses received by emergency workers in a nuclear or radiological emergency Response organization and employers should implement the programme Designated emergency workers can be divided into three categories Category 1, 2 or 3



Cat.	Doing what?	Who?	When?
1	Urgent protective actions on site – including life saving and prevention of serious injury or development of catastrophic conditions	Likely to be operating personnel at facility, but may be emergency services personnel	Designated at preparedness stage
2	Urgent protective actions off site to avert large collective dose (eg evacuation, sheltering, radiation monitoring)	Police, fire fighters, medical personnel, drivers and crew of evacuation vehicles	Every effort made to designate at preparedness stage
3	Early protective actions and other actions off site (eg relocation, decontamination, environmental monitoring) aimed at terminating the emergency	Emergency services personnel, other response organizations	May or may not be designated at preparedness stage



Managing the exposure of emergency workers

> Tasks assigned depending on category of worker Category 2 emergency workers should not be first choice for taking life saving actions Category 3 workers should not exceed an effective dose of 50 mSv Female workers that are breast-feeding or who are aware, or suspect that they are pregnant should be encouraged to notify their employer, and should typically be excluded from emergency tasks



Managing the exposure of emergency workers

Operational guidance based on measurement of external penetrating radiation (gamma and neutron dose rates)

- Doses from intakes, skin contamination and exposure of lens of eye prevented by all possible means
- Limits in duration and conditions of work driven by dose guidance values





EXPOSURE ASSESSMENT



Exposure assessment

- Response organizations and employers should take all reasonable steps to assess and record exposures received by workers in an emergency
- Exposures of emergency workers monitored on an individual basis (eg direct reading, alarm dosimeter)
- Doses received during emergency should be recorded separately from routine work, where possible
- Should be noted on workers' record of occupational exposure
- Information on doses received and associated health risks communicated to emergency worker



MEDICAL ATTENTION



Medical attention

- Emergency workers and accidentally exposed employees should receive medical attention appropriate to dose received
- Medical examination if dose received > 100 mSv over a period of a month (or if worker requests)
- If dose received exceeds 200 mSv:
 - Worker may continue to work with radiation subject to qualified doctor confirming that they are fit to work



Medical attention

- If dose received exceeds thresholds for severe deterministic effects protective actions should be taken, as appropriate:
 Immediate medical examination
 - Contamination control
 - Immediate decorporation
 - Registration for longer term medical follow-up
 - Providing psychological counselling



Key messages

- Emergency planning to allocate responsibilities and introduce system of protection of emergency workers
- Protection of emergency workers requires application of RP principles with graded approach
- Guidance values for restricting exposure
 - Reasonable steps to assess and record exposure
- Medical attention should be given commensurate to dose received



QUESTIONS AND DISCUSSION