

# F1 Issues

As of 7 July, 2015  
Nuclear Regulation Authority (NRA), Japan

## Current Information on Radioactivity in Seawater

Measurements of seawater obtained at the sampling points T-1 and T-2-1 from 28 June to 4 July 2015 are shown in the following table. All radionuclides (i.e., Cs-134, Cs-137, total Beta and H-3) remained low and stable in the period.

The following URL of the NRA website leads to details of monitoring results:

[http://radioactivity.nsr.go.jp/en/contents/10000/9979/24/Sea\\_Area\\_Monitoring\\_20150707.pdf](http://radioactivity.nsr.go.jp/en/contents/10000/9979/24/Sea_Area_Monitoring_20150707.pdf)

Sampling Date	Cs-134 (Bq/L)		Cs-137 (Bq/L)		*Total Beta (Bq/L)		H-3 (Bq/L)	
	T-1	T-2-1	T-1	T-2-1	T-1	T-2-1	T-1	T-2-1
28 Jun.	ND	ND	ND	ND	–	12	–	–
29 Jun.	ND	ND	ND	ND	9.9	11	ND	ND
30 Jun.	ND	ND	ND	ND	–	12	–	–
1 Jul.	ND	ND	ND	ND	–	13	–	–
2 Jul.	ND	ND	ND	ND	–	9.9	–	–
3 Jul.	ND	ND	ND	ND	–	13	–	–
4 Jul.	ND	ND	ND	ND	–	13	–	–

ND: Under the limit of detection

(less than 1Bq/L for Cs-134/Cs-137; 5Bq/L for Total Beta; and 3Bq/L for H-3)

\*Total Beta includes K-40 occurring naturally in seawater.

